

HMIS: HEALTH 3
FLAMMABILITY 0
REACTIVITY 0
PERSONAL
PROTECTION

PAGE 1 OF 2

MATERIAL SAFETY DATA SHEET US DEPARTMENT OF LABOR
COMPLIES WITH USDL SAFETY AND HEALTH REGULATIONS, (29 CFR 1910.1200)

SECTION I: MANUFACTURER

PRODUCT IDENTIFICATION

FORTO CHEMICAL CORP.
P.O. BOX 910
GUAYNABO, P.R. 00970

A/C COIL CLEANER

EMERGENCIES:(809)720-7481

CODE #:
REVISION DATE:

SECTION II:

HAZARDOUS INGREDIENTS:

2 BUTOXYETHANOL	CAS # 111-76-2	< 2%
GLYCOLIC ACID	CAS # 79-14-1	> 5%
AMMONIUM BIFLUORIDE	CAS # 1341-49-7	< 3%
PHOSPHORIC ACID	CAS # 7664-38-2	>15%

SECTION III: PHYSICAL DATA

BOILING POINT: 212 F
VAPOR PRESSURE:28mm Hg
VAPOR DENSITY, (AIR=1): N/A
SOLUBILITY IN WATER: COMPLETE
SPECIFIC GRAVITY, (H2O=1): 098
PERCENT VOLATILE BY VOLUME: N/A
EVAPORATION RATE, (ETHYL ETHER=1): <1
PH: LESS THAN 1
APPEARANCE AND ODOR: BLUE ACID

SECTION IV: FIRE AND EXPLOSION DATA

FLASH POINT, (METHOD USED): NONE
FLAMMABLE LIMITS: NONE
EXTINGUISHING MEDIA:
SPECIAL FIREFIGHTING PROCEDURES: NONE

**UNUSUAL FIRE AND EXPLOSION HAZARDS: MATERIAL IS NON-FLAMABLE BUT
CONTACT WITH CERTAIN METALS CAN CAUSE GENERATION OF HYDROGEN
GAS**

M/c

MATERIAL SAFETY DATA SHEET

PAGE 2 OF 2

SECTION V: HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE: HAS NOT BEEN DETERMINED

EFFECTS OF OVEREXPOSURE: EYE & SKIN IRRITANT. SEVERAL BURNS ON
OVER EXPOSURE. FOLLOW SPECIAL PROTECTION INFORMATION

EMERGENCY FIRST AID PROCEDURES:

INGESTION: DRINK PLENTY OF WATER OR MILK. SEEK MEDICAL HELP
IMMEDIATELY

EYES: FLUSH EYES WITH PLENTY OF WATER SEPARATING EYELIDS

SKIN: WASH SKIN WITH SOAP & WATER

INHALATION: REMOVE TO FRESH AIR. IF DIFFICULTY IN
BREATHING ADMINISTER OXYGEN.

SECTION VI: REACTIVITY DATA

STABILITY DATA: STABLE

INCOMPATIBILITY: OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION PRODUCTS: HYDROGEN GAS

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION VII: SPILL OR LEAK PROCEDURES

SMALL SPILLS: NEUTRALIZE SPILL WITH SODIUM CARBONATE

LARGE SPILLS: STOP LEAK AT SOURCE. NEUTRALIZE WITH SODIUM
CARBONATE AND RECOVER INTO A SUITABLE CONTAINER

FOLLOW STATE AND LOCAL REGULATIONS FOR DISPOSAL OF LARGE NON-
RECLAIMABLE SPILLS

SECTION VIII: SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: NIOSH ACID GAS. RESPIRATOR IN ENCLOSED
AREA.

VENTILATION: MECHANICAL OR USE ON WELL VENTILATED AREA

PROTECTIVE GLOVES: POLYVINYL OR NEOPRENE GLOVES

EYE PROTECTION: CHEMICAL SPLASH GOGGLES.


OTHER PROTECTIVE EQUIPMENT: RUBBER APRON

SECTION IX: SPECIAL PRECAUTIONS

PRECAUTIONS TO BE HANDLING AND STORAGE: ALWAYS STORE UNUSED
PORTION IN ORIGINAL CONTAINER WITH CAP SECURE. DO NOT STORE NEAR
OXIDIZERS

OTHER PRECAUTIONS:

AS WITH ALL CHEMICALS, USE WITH DUE CARE ACCORDING TO LABEL
INSTRUCTIONS AND PRECAUTIONS.



INDUSTRIAL, SANITARY, AUTOMOTIVE, SPECIALTY CHEMICALS

PRODUCT DATA

AIR CONDITIONER COIL CLEANER

CODE 10869

This product is specially formulated to instantly remove soil, grease, oxidation and corrosion from aluminum surfaces. Great for use on aluminum truck bodies, screens, trailers, airplanes and window trim. Cleans and brightens instantly. No rubbing necessary. This product also prepares the aluminum surface if it is to be painted.

CAUTION:

DO NOT USE ON GLASS! USE ON ALUMINUM OR MAGNESIUM ONLY. THIS PRODUCT WILL ETCH GLASS. USE COLD. DO NOT HEAT. Keep away from children. For industrial and institutional use only.

WARNING:

POISON - This cleaner contains a blending of harmful acids. Avoid contact with skin, eyes and clothing. In case of contact with eyes, flush with water for at least five minutes. Contact with skin, wash with soap and water. Protect skin and clothing with rubber gloves and apron. GET MEDICAL ATTENTION for contact with eyes.

In case of accidental ingestion, drink a tablespoon or more of milk of magnesia, white of eggs beaten with water, or small pieces of soap, softened in water, in milk.

ATTENTION: Do not mix this cleaner with chlorinated cleansers or other cleaners.

USES: Truck Bodies, Counter Top, Screens, Cooling Coils, Airplanes, Trailers, Window Trim.

PROPERTIES:

PH LESS THAN 1
COLOR BLUE
ODOR PLEASANT
DETERGENCY EXCELLENT

SPECIFIC GRAVITY 1.08
FLASH POINT NONE
SHELF LIFE 2 YR. MIN.